

0-5 YEARS MILESTONES

0-2 MONTHS

Social and Emotional

- Begins to smile at people
- Can briefly calm herself (may bring hands to mouth and suck on hand)
- Tries to look at parent

Language/Communication

- Coos, makes gurgling sounds
- Turns head toward sounds

Cognitive (learning, thinking, problem-solving)

- Pays attention to faces
- Begins to follow things with eyes and recognize people at a distance
- Begins to act bored (cries, fussy) if activity doesn't change

Movement/Physical Development

- Can hold head up and begins to push up when lying on tummy
- Makes smoother movements with arms and legs

Act early by talking to your child's doctor if your child:

- Doesn't respond to loud sounds
- Doesn't watch things as they move
- Doesn't smile at people
- Doesn't bring hands to mouth
- Can't hold head up when pushing up when on tummy

VACCINATION

1. Hepatitis B (HepB) (1st dose)

straight after BIRTH

2. Hepatitis B (HepB) (2nd dose)

3. Diphtheria, tetanus, and whooping cough (pertussis) (DTaP) (1st dose)

4. Haemophilus influenzae type b disease (Hib) (1st dose)

5. Polio (IPV) (1st dose)

6. Pneumococcal disease (PCV13) (1st dose)

7. Rotavirus (RV) (1st dose)

2-4 MONTHS

Social and Emotional

- Smiles spontaneously, especially at people
- Likes to play with people and might cry when playing stops
- Copies some movements and facial expressions, like smiling or frowning

Language/Communication

- Begins to babble
- Babbles with expression and copies sounds he hears
- Cries in different ways to show hunger, pain, or being tired

Cognitive (learning, thinking, problem-solving)

- Lets you know if he is happy or sad
- Responds to affection
- Reaches for toy with one hand
- Uses hands and eyes together, such as seeing a toy and reaching for it
- Follows moving things with eyes from side to side
- Watches faces closely
- Recognizes familiar people and things at a distance

Movement/Physical Development

- Holds head steady, unsupported
- Pushes down on legs when feet are on a hard surface
- May be able to roll over from tummy to back
- Can hold a toy and shake it and swing at dangling toys
- Brings hands to mouth
- When lying on stomach, pushes up to elbows

Act early by talking to your child's doctor if your child:

- Doesn't watch things as they move
- Doesn't smile at people
- Can't hold head steady
- Doesn't coo or make sounds
- Doesn't bring things to mouth
- Doesn't push down with legs when feet are placed on a hard surface
- Has trouble moving one or both eyes in all directions

VACCINATION

At 4 months, your baby should receive vaccines to help protect against the following diseases:

- Diphtheria, tetanus, and whooping cough (pertussis) (DTaP) (2nd dose)
- Haemophilus influenzae type b disease (Hib) (2nd dose)
- Polio (IPV) (2nd dose)
- Pneumococcal disease (PCV13) (2nd dose)
- Rotavirus (RV) (2nd dose)

4-6 MONTHS

Social and Emotional

- Knows familiar faces and begins to know if someone is a stranger
- Likes to play with others, especially parents
- Responds to other people's emotions and often seems happy
- Likes to look at self in a mirror

Language/Communication

- Responds to sounds by making sounds
- Strings vowels together when babbling ("ah," "eh," "oh") and likes taking turns with parent while making sounds
- Responds to own name
- Makes sounds to show joy and displeasure video icon
- Begins to say consonant sounds (jabbering with "m," "b")

Cognitive (learning, thinking, problem-solving)

- Looks around at things nearby
- Brings things to mouth
- Shows curiosity about things and tries to get things that are out of reach
- Begins to pass things from one hand to the other

Movement/Physical Development

- Rolls over in both directions (front to back, back to front)
- Begins to sit without support
- When standing, supports weight on legs and might bounce
- Rocks back and forth, sometimes crawling backward before moving forward

Act early by talking to your child's doctor if your child:

- Doesn't try to get things that are in reach
- Shows no affection for caregivers
- Doesn't respond to sounds around him
- Has difficulty getting things to mouth
- Doesn't make vowel sounds ("ah", "eh", "oh")
- Doesn't roll over in either direction
- Doesn't laugh or make squealing sounds
- Seems very stiff, with tight muscles
- Seems very floppy, like a rag doll

VACCINATION

At 6 months, your baby should receive vaccines to help protect against the following diseases:

- Diphtheria, tetanus, and whooping cough (pertussis) (DTaP) (3rd dose)
- Haemophilus influenzae type b disease (Hib) (3rd dose)
- Polio (IPV) (3rd dose)
- Pneumococcal disease (PCV13) (3rd dose)
- Rotavirus (RV) (3rd dose)
- Influenza (Flu) (every year)

6-9 MONTHS

Social and Emotional

- May be afraid of strangers video icon
- May be clingy with familiar adults video icon
- Has favorite toys video icon

Language/Communication

- Understands "no"
- Makes a lot of different sounds like "mamamama" and "bababababa" video icon
- Copies sounds and gestures of others
- Uses fingers to point at things

Cognitive (learning, thinking, problem-solving)

- Watches the path of something as it falls
- Looks for things she sees you hide
- Plays peek-a-boo
- Puts things in his mouth
- Moves things smoothly from one hand to the other
- Picks up things like cereal o's between thumb and index finger

Movement/Physical Development

- Stands, holding on
- Can get into sitting position
- Sits without support
- Pulls to stand
- Crawls

Act early by talking to your child's doctor if your child:

- Doesn't bear weight on legs with support
- Doesn't sit with help
- Doesn't babble ("mama", "baba", "dada")
- Doesn't play any games involving back-and-forth play
- Doesn't respond to own name
- Doesn't seem to recognize familiar people
- Doesn't look where you point
- Doesn't transfer toys from one hand to the other

VACCINATION

At 7-11 months, your baby should receive vaccines to help protect against the following diseases:

- Influenza (Flu) (every year)

1 YEAR

Social and Emotional

- Is shy or nervous with strangers
- Cries when mom or dad leaves
- Has favorite things and people
- Shows fear in some situations
- Hands you a book when he wants to hear a story
- Repeats sounds or actions to get attention
- Puts out arm or leg to help with dressing
- Plays games such as “peek-a-boo” and “pat-a-cake”

Language/Communication

- Responds to simple spoken requests
- Uses simple gestures, like shaking head “no” or waving “bye-bye”
- Makes sounds with changes in tone (sounds more like speech)
- Says “mama” and “dada” and exclamations like “uh-oh!”
- Tries to say words you say

Cognitive (learning, thinking, problem-solving)

- Explores things in different ways, like shaking, banging, throwing
- Finds hidden things easily
- Looks at the right picture or thing when it’s named
- Copies gestures
- Starts to use things correctly; for example, drinks from a cup, brushes hair
- Bangs two things together
- Puts things in a container, takes things out of a container
- Lets things go without help
- Pokes with index (pointer) finger
- Follows simple directions like “pick up the toy”

Movement/Physical Development

- Gets to a sitting position without help
- Pulls up to stand, walks holding on to furniture (“cruising”)
- May take a few steps without holding on
- May stand alone

Act early by talking to your child’s doctor if your child:

- Doesn’t crawl
- Can’t stand when supported
- Doesn’t search for things that she sees you hide
- Doesn’t say single words like “mama” or “dada”
- Doesn’t learn gestures like waving or shaking head
- Doesn’t point to things
- Loses skills he once had

VACCINATION

At 12 and 23 months, your baby should receive vaccines to help protect against the following diseases:

- Chickenpox (Varicella) (1st dose)
- Diphtheria, tetanus, and whooping cough (pertussis) (DTaP) (4th dose)
- Haemophilus influenzae type b disease (Hib) (4th dose)
- Measles, mumps, and rubella (MMR) (1st dose)
- Polio (IPV) (3rd dose)
- Pneumococcal disease (PCV13) (4th dose)
- Hepatitis A (HepA) (1st dose)
- Hepatitis B (HepB) (3rd dose between 6 months and 18 months)
- Influenza (Flu) (every year)

1 1/2 YEAR

Social and Emotional

- Likes to hand things to others as play
- May have temper tantrums
- May be afraid of strangers
- Shows affection to familiar people
- Plays simple pretend, such as feeding a doll
- May cling to caregivers in new situations
- Points to show others something interesting
- Explores alone but with parent close by

Language/Communication

- Says several single words
- Says and shakes head “no”
- Points to show someone what he wants

Cognitive (learning, thinking, problem-solving)

- Knows what ordinary things are for; for example, telephone, brush, spoon s
- Points to get the attention of others
- Shows interest in a doll or stuffed animal by pretending to feed
- Points to one body part
- Scribbles on his own
- Can follow 1-step verbal commands without any gestures; for example, sits when you say “sit down”

Movement/Physical Development

- Walks alone
- May walk up steps and run
- Pulls toys while walking
- Can help undress herself
- Drinks from a cup
- Eats with a spoon

Act early by talking to your child’s doctor if your child:

- Doesn’t point to show things to others
- Can’t walk
- Doesn’t know what familiar things are for
- Doesn’t copy others
- Doesn’t gain new words
- Doesn’t have at least 6 words
- Doesn’t notice or mind when a caregiver leaves or returns
- Loses skills he once had

2 YEARS

Social and Emotional

- Copies others, especially adults and older children
- Gets excited when with other children
- Shows more and more independence
- Shows defiant behavior (doing what he has been told not to)
- Plays mainly beside other children, but is beginning to include other children, such as in chase games

Language/Communication

- Points to things or pictures when they are named
- Knows names of familiar people and body parts
- Says sentences with 2 to 4 words
- Follows simple instructions
- Repeats words overheard in conversation
- Points to things in a book

Cognitive (learning, thinking, problem-solving)

- Finds things even when hidden under two or three covers
- Begins to sort shapes and colors
- Completes sentences and rhymes in familiar books
- Plays simple make-believe games
- Builds towers of 4 or more blocks
- Might use one hand more than the other
- Follows two-step instructions such as "Pick up your shoes and put them in the closet."
- Names items in a picture book such as a cat, bird, or dog

Movement/Physical Development

- Stands on tiptoe
- Kicks a ball
- Begins to run
- Climbs onto and down from furniture without help
- Walks up and down stairs holding on
- Throws ball overhand
- Makes or copies straight lines and circles

Act early by talking to your child's doctor if your child:

- Doesn't use 2-word phrases (for example, "drink milk")
- Doesn't know what to do with common things, like a brush, phone, fork, spoon
- Doesn't copy actions and words
- Doesn't follow simple instructions
- Doesn't walk steadily
- Loses skills she once had

3 YEARS

Social and Emotional

- Copies adults and friends
- Shows affection for friends without prompting
- Takes turns in games
- Shows concern for crying friend
- Understands the idea of "mine" and "his" or "hers"
- Shows a wide range of emotions
- Separates easily from mom and dad
- May get upset with major changes in routine
- Dresses and undresses self

Language/Communication

- Follows instructions with 2 or 3 steps
- Can name most familiar things
- Understands words like "in," "on," and "under"
- Says first name, age, and sex
- Names a friend
- Says words like "I," "me," "we," and "you" and some plurals (cars, dogs, cats)
- Talks well enough for strangers to understand most of the time
- Carries on a conversation using 2 to 3 sentences

Cognitive (learning, thinking, problem-solving)

- Can work toys with buttons, levers, and moving parts
- Plays make-believe with dolls, animals, and people
- Does puzzles with 3 or 4 pieces
- Understands what "two" means
- Copies a circle with pencil or crayon
- Turns book pages one at a time
- ^a Builds towers of more than 6 blocks
- Screws and unscrews jar lids or turns door handle

Movement/Physical Development

- Climbs well
- Runs easily
- Pedals a tricycle (3-wheel bike)
- Walks up and down stairs, one foot on each step

Act early by talking to your child's doctor if your child:

- Falls down a lot or has trouble with stairs
- Drools or has very unclear speech
- Can't work simple toys (such as peg boards, simple puzzles, turning handle)
- Doesn't speak in sentences
- Doesn't understand simple instructions
- Doesn't play pretend or make-believe
- Doesn't want to play with other children or with toys
- Doesn't make eye contact
- Loses skills he once had

4 YEARS

Social and Emotional

- Enjoys doing new things
- Plays “Mom” and “Dad”
- Is more and more creative with make-believe play
- Would rather play with other children than by himself
- Cooperates with other children camera
- Often can't tell what's real and what's make-believe
- Talks about what she likes and what she is interested in

Language/Communication

- Knows some basic rules of grammar, such as correctly using “he” and “she”
- Sings a song or says a poem from memory such as the “Itsy Bitsy Spider” or the “Wheels on the Bus”
- Tells stories
- Can say first and last nameNo image available for this milestone

Cognitive (learning, thinking, problem-solving)

- Names some colors and some numbers
- Understands the idea of counting
- Starts to understand time
- Remembers parts of a story
- Understands the idea of “same” and “different”
- Draws a person with 2 to 4 body parts
- Uses scissors
- Starts to copy some capital letters
- Plays board or card games
- Tells you what he thinks is going to happen next in a book

Movement/Physical Development

- Hops and stands on one foot up to 2 seconds
- Catches a bounced ball most of the time
- Pours, cuts with supervision, and mashes own food

Act early by talking to your child's doctor if your child:

- Can't jump in place
- Has trouble scribbling
- Shows no interest in interactive games or make-believe
- Ignores other children or doesn't respond to people outside the family
- Resists dressing, sleeping, and using the toilet
- Can't retell a favorite story
- Doesn't follow 3-part commands
- Doesn't understand “same” and “different”
- Doesn't use “me” and “you” correctly
- Speaks unclearly
- Loses skills he once had

VACCINATION

At 4-6 YEARS , your baby should receive vaccines to help protect against the following diseases:

- Diphtheria, tetanus, and whooping cough (pertussis) (DTaP) (5th dose)
- Polio (IPV) (4th dose)
- Measles, mumps, and rubella (MMR) (2nd dose)
- Chickenpox (Varicella) (2nd dose)
- Influenza (Flu) (every year)

5 YEARS

Social and Emotional

- Wants to please friends
- Wants to be like friends
- More likely to agree with rules
- Likes to sing, dance, and act
- Is aware of gender
- Can tell what's real and what's make-believe
- Shows more independence (for example, may visit a next-door neighbor by himself [adult supervision is still needed])
- Is sometimes demanding and sometimes very cooperative

Language/Communication

- Speaks very clearly
- Tells a simple story using full sentences
- Uses future tense; for example, “Grandma will be here.”
- Says name and addressNo image available for this milestone

Cognitive (learning, thinking, problem-solving)

- Counts 10 or more things
- Can draw a person with at least 6 body parts
- Can print some letters or numbers
- Copies a triangle and other geometric shapes
- Knows about things used every day, like money and food

Movement/Physical Development

- Stands on one foot for 10 seconds or longer
- Hops; may be able to skip
- Can do a somersault
- Uses a fork and spoon and sometimes a table knife
- Can use the toilet on her ownNo image available for this milestone
- Swings and climbs

Act early by talking to your child's doctor if your child:

- Doesn't show a wide range of emotions
- Shows extreme behavior (unusually fearful, aggressive, shy or sad)
- Unusually withdrawn and not active
- Is easily distracted, has trouble focusing on one activity for more than 5 minutes
- Doesn't respond to people, or responds only superficially
- Can't tell what's real and what's make-believe
- Doesn't play a variety of games and activities
- Can't give first and last name
- Doesn't use plurals or past tense properly
- Doesn't talk about daily activities or experiences
- Doesn't draw pictures
- Can't brush teeth, wash and dry hands, or get undressed without help
- Loses skills he once had